



ONE TOUCH PRO RESULT

STOPS DRAFTS EFFICIENCY
& SAVES ENERGY
MULTI-MATERIAL READY-TO-USE PROFESSIONAL GRADE
FLEXIBLE DURABLE
WEATHERPROOF
AIRTIGHT



**Touch
'n Foam**

**Touch
'n Foam
PROFESSIONAL**

READY-TO-USE, REUSABLE
SPRAY FOAM SEALANTS

PROFESSIONAL GUN FOAMS &
2-COMPONENT SPRAY FOAM KITS

PRODUCT CATALOG

BLOCKS DRAFTS & SAVES ENERGY

Touch 'n Foam offers the industry's most complete line of expanding spray foam products for use in and around the home. Touch 'n Foam's lineup of ready-to-use straw foams, professional gun foams and two-component foam systems can eliminate air leaks and drafts, seal gaps and cracks and insulate against the elements to make homes comfortable, quiet, cozy and more energy efficient all year round.

**Touch
'n Foam**

**Touch
'n Foam
PROFESSIONAL**

Common areas for energy loss in homes:

Living Space

- Gaping baseboards
- Window & door frames
- Around electrical junction boxes
- Wire & pipe penetrations
- Air, heating & dryer vents

Basements/Attics

- Pipe & duct penetrations
- Plumbing stacks & shafts
- Wall cracks
- Along the sill plate & floor/wall junction

Outside

- At the bottom of your siding edge, where it meets the foundation
- Electric, gas & A/C penetrations
- Along garage ceiling & wall joints
- Faucets
- Dryer vents





EASY-TO-USE EXPANDING FOAM SEALANTS

- Broadest assortment of air-sealing & insulating products
- Increase comfort, safety & efficiency in homes & commercial properties

HomeSeal

Minimum Expanding Sealant

Fills & seals smaller gaps & openings.

- Water resistant
- Interior/exterior use
- UL-Classified*

Exclusive All-Season Formula
Cures between 30°–120°F (-1°–49°C)



MaxFill®

Triple Expanding Sealant

Three times the expansion to fill gaps greater than 1 inch.

- Blocks insects and other pests
- Meets ASTM E84/UL 723, Class A Fire Rated
- Interior/exterior use
- UL-Classified*



No Warp®

Window & Door Sealant

Low pressure formula won't bow window frames or door jambs.

- Bright white foam
- Meets AAMA standards & 812-04
- Meets ASTM E84/UL 723, Class A Fire Rated
- UL-Classified*



FireBreak®

Flame Resistant Sealant

The only approved fire block to pass the UL 94 V-0 burn test.

- Easy-to-identify orange color
- Meets ASTM E814 & UL 1715
- Type V residential fire block
- Meets ASTM E84/UL 723, Class A Fire Rated
- Flame spread-5, smoke developed-0
- UL-Classified*



Landscape

Exterior Filler-Adhesive

Black, UV-resistant foam that's safe for plant & water life.

- Directs flow in & around water gardens
- Superior adhesive for landscaping projects
- Fills knotholes in trees to seal out pests
- UL-Classified*



Mouse Shield®

Foam Sealant & Pest Block

Contains an EPA registered pesticide that protects foam from attack.

- Blocks mice & other pests
- Air-seals & insulates
- Meets ASTM E84/UL 723, Class A Fire Rated
- UL-Classified*



* See complete marking on product

Description	Item No.	Net Wt.	Unit UPC	Case Pack	Case Code	Case Dimensions (in.)
HomeSeal Minimum Expanding Sealant (12 oz.)	7565000082	12 oz.	0 75650 00082 3	12 per case	1 00 75650 00082 0	11.50 x 8.75 x 9.25
HomeSeal Minimum Expanding Sealant (16 oz.)	7565011216	16 oz.	0 75650 11216 8	12 per case	1 00 75650 11216 5	11.38 x 8.63 x 10.63
MaxFill® Triple Expanding Sealant (12 oz.)	7565000043	12 oz.	0 75650 00031 1	12 per case	1 00 75650 00043 1	11.50 x 8.75 x 9.25
MaxFill® Triple Expanding Sealant (16 oz.)	7565031612	16 oz.	0 75650 31612 2	12 per case	1 00 75650 31612 9	11.50 x 9.00 x 10.63
MaxFill® Triple Expanding Sealant (20 oz.)	7565020012	20 oz.	0 75650 00032 8	12 per case	1 00 75650 00032 5	11.50 x 8.5 x 12.50
No Warp® Window & Door Sealant	7565004000	12 oz.	0 75650 04000 3	12 per case	1 00 75650 04000 0	11.50 x 8.75 x 9.25
FireBreak® Flame Resistant Sealant	7565010012	12 oz.	0 75650 10012 7	12 per case	3 00 75650 10012 8	11.50 x 8.75 x 9.25
Landscape Exterior Filler-Adhesive	7565040440	12 oz.	0 75650 40440 9	12 per case	3 00 75650 40440 0	11.50 x 8.75 x 9.25
Mouse Shield® Foam Sealant & Pest Block	7565012506	12 oz.	0 75650 12512 0	6 per case	1 00 75650 12506 6	8.63 x 5.88 x 9.13



PROFESSIONAL GRADE GUN FOAMS & APPLICATORS

- For the professional contractor or serious do-it-yourselfer
- Gun foams and applicators allow precision controlled bead size, & easy, comfortable dispensing

All Purpose Polyurethane Foam Sealant

Versatile, Type V residential fire block sealant with greater control for large & small gaps.

- Meets ASTM E84/UL 723, Class A Fire Rated
- Bright orange foam for inspections
- Exterior/interior use
- UL-Classified*



Window & Door Polyurethane Foam Sealant

Bright white, low pressure sealant that exerts virtually no force on window frames & door jambs. Outperforms fiberglass.

- Meets AAMA standards and 812-04
- Meets ASTM E84/UL 723, Class A Fire Rated
- UL-Classified*



Heavy Duty Construction Adhesive

A super-strong, multi-purpose polyurethane gel foam adhesive that yields 10 times more product than traditional caulk adhesives.

- Use on drywall, steel, aluminum, pressure-treated lumber & other surfaces
- Installs faster & uses fewer fasteners & won't produce squeeze out
- Bridges minor gaps on irregular surfaces, such as plywood and OSB
- Exceeds ASTM C557; Passes D6464



Black Landscaping Polyurethane Foam Sealant

Black, UV resistant foam that's ideal for landscaping projects, including retaining walls, ponds & waterfalls.

- Safe for plants and fish
- Directs flow in & around water gardens
- Fills knotholes in trees to seal out pests
- UL-Classified*



Polyurethane Foam Cleaner

Cleans foam in & around gun applicators

- Attaches to applicator to flush barrel
- Removes uncured foam from tools
- Reusable dispensing
- Zero VOC formula



Precision Foam Gun

- Reusable
- Adjustable output
- Teflon® coated basket
- Metal barrel & lever
- Plastic tip extension included
- 6-pack display-ready case



46" Long Barrel Gun

- Non-stick Teflon coated basket
- Adjustable output
- Lightweight – easy on the back & knees
- Contains three stabilizing guides (1.5", 2.5", 3.5")



Description	Item No.	Net Wt.	Unit UPC	Case Pack	Case Code	Case Dimensions (in.)
All-Purpose Polyurethane Foam Sealant (For Gun Applicator Use)	7565002420	24 oz.	0 75650 02420 1	12 per case	1 00 75650 02420 8	11.25 x 8.50 x 11.50
Window & Door Polyurethane Foam Sealant (For Gun Applicator Use)	7565002010	20 oz.	0 75650 02010 4	12 per case	1 00 75650 02010 1	11.25 x 8.50 x 11.50
Black Landscaping Polyurethane Foam Sealant (For Gun Applicator Use)	7565002450	24 oz.	0 75650 02450 8	12 per case	1 00 75650 02450 5	11.25 x 8.50 x 11.50
Builders Series Heavy Duty Construction Adhesive (Straw Foam)	7565032430	16 oz.	0 75650 32430 1	6 per case	1 00 75650 32430 8	8.88 x 6.00 x 10.75
Polyurethane Foam Cleaner	7565028700	12 oz.	0 75650 28700 2	12 per case	1 00 75650 28700 9	11.25 x 8.25 x 8.50
Precision Foam Gun	7565028775	—	0 75650 28775 0	6 per case	1 00 75650 28775 7	15.25 x 6.75 x 14.00
46" Long Barrel Gun	7565028046	1.97 lb.	0 75650 28046 1	1 ea.	—	45.00 x 7.63 x 2.00

1-COMPONENT & 2-COMPONENT FOAM SYSTEMS

- 1 & 2-component cylinders & foam systems offer quantity, portability & Class A fire resistance for larger jobs

1-Component Foam Sealant

- Fast expansion & quick cure
- Easily portable, fully disposable
- Improves energy efficiency
- Pre-attached hose with wand
- No CFCs
- Up to 15,300 linear feet
- Meets ASTM E84/UL723, Class A Fire Rated



2-Component Foam Kit Systems

Touch 'n Foam's professional line also offers portable & disposable spray foam kits. Our Class A Fire-Rated foam bonds to most surfaces, dries in less than 60 seconds, & reduces energy costs up to 30%. Each kit comes with pre-attached hoses, an ergonomic foam applicator, disposable gloves, safety glasses & detailed instructions.



System 600 Kit

(Yields up to 600 bd. ft.)

Perfect for insulating stud wall cavities (up to 2" thick) & crawl spaces.



System 200 Kit

(Yields up to 200 bd. ft.)

Ideal for sealing basement sill plates and rim/band joists.



System 15 Kit

(Yields up to 15 bd. ft.)

Use for hole repairs and touch ups

(glasses and DVD not included).



Description	Item No.	Net Wt.	Unit UPC	Case Pack	Case Code	Case Dimensions (in.)
1-Component Foam Sealant	7565010001	10 lb.	0 75650 00036 6	1 ea.	—	7.75 x 7.75 x 14.75
1-Component Black Foam Sealant	7565000016	16 lb.	0 75650 00016 8	1 ea.	—	10.00 x 10.00 x 17.25
System 15 Spray Foam, 2-Component System	7565002506	2.21 lb.	0 75650 02506 2	6 per case	1 00 75650 02506 9	13.25 x 12.00 x 12.75
System 200 Spray Foam, 2-Component System	7565022200	41.10 lb.	0 75650 22200 3	1 ea.	0 00 75650 22200 3	15.25 x 10.00 x 15.25
System 600 Spray Foam, 2-Component System	7565062600	(A) Cylinder 44.94 lb. (B) Cylinder 40.12 lb.	0 75650 62600 9	1 ea.	—	(A) 12.50 x 12.50 x 18.75 (B) 12.50 x 12.50 x 18.75

Description	Item No.	Unit Size	Unit UPC	Case Pack	Case Code	Case Dimensions (in.)
Replacement Nozzle - Conical	7565022005	5 ea.	0 75650 22005 4	6 pack	1 00 75650 22005 1	6.69 x 3.69 x 6.19
Replacement Nozzle - Fan	7565022025	5 ea.	0 75650 22025 2	6 pack	1 00 75650 22025 9	6.69 x 3.69 x 6.19



ON THE JOB

SINCE 1865TM

©2018 DAP Products Inc.
Baltimore, MD 21224

Teflon® is a registered trademark of
The Chemours Company FC.

100001

touch-n-foam.com

dap.com